

L Number	Hits	Search Text	DB	Time stamp
1	78	well with trajectory with design\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:48
2	34	well with trajectory with planning\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:30
3	7	702/6.ccls. and (well with trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:31
4	14	702/9.ccls. and (well with trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 15:35
5	5	702/7.ccls. and (well with trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:44
6	40	175/45.ccls. and (well with trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:53
7	2	703/9.ccls. and (well with trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:54
8	6	703/10.ccls. and (well with trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:55
9	5	33/304.ccls. and (well with trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:55
10	2	6523623.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 15:35
-	1	703/1.ccls. and well near bore	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 15:58
-	11	703/1.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 15:30

-	362	703/1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 15:30
-	0	(well near bore and trajectory and plan).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 15:31
-	52	well near bore and trajectory and plan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 15:41
-	28	well near bore and trajectory and plan and design	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 15:44
-	93	well near bore and trajectory and design	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 16:04
-	19	702/9.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 16:11
-	5	702/9.ccls. and architect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 16:14
-	0	(design\$4 and trajectory and wellbore).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 16:15
-	174	design\$4 and trajectory and wellbore	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 16:41
-	146490	well and plan and design	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 16:42
-	155	(well and plan and design) and (directional near drilling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 16:48
-	2673128	design\$4 or architect\$4 and wellbore and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 16:55
-	1189	(design\$4 or architect\$4 and wellbore and trajectory) and (directional adj drilling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 16:59

-	161	slowness and seismic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 17:06
-	134	slowness and velocity and seismic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/19 17:20
-	0	702/6.ccls. and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 15:36
-	16	702/6.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 16:17
-	5	well near bore near trajectory and graphical	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 17:11
-	30	well near bore near trajectory and model\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 16:38
-	135	702/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 16:39
-	80	702/2.ccls. and model\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 16:39
-	32	702/2.ccls. and curve\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 16:40
-	43	well near bore near trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 17:48
-	4	model\$4 and well near bore near trajectory and mesh	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 17:51
-	30	model\$4 and well near bore near trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 17:55
-	0	direction and inclination near well near bore near trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 17:56

-	31	(direction and inclination) and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:07
-	7	graphic and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:10
-	16242	lim.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:10
-	2	lim.in. and kok-thye	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:11
-	0	graphical adj technique and well near bore near trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:12
-	0	(graphical adj technique) and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:13
-	32	(graphical or model\$4) and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:16
-	30	(architecture or model\$4) and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:27
-	1	(computer near graphic\$3) and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:28
-	3	(model\$4 with graphic\$3) and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:29
-	0	(graphical adj method and design\$4 and trajectory near well near bore).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:30
-	0	graphical adj method and design\$4 and trajectory near well near bore	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:31
-	1	graphical and design\$4 and trajectory near well near bore	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:32

-	0	703/1.ccls. and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:32
-	11	703/1.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:33
-	1	703/1.ccls. and (well near bore)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:34
-	7	703/10.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:46
-	131233	well near bore near trajectory near design\$4 or architecture	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:49
-	1	well near bore near trajectory near design\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:48
-	43	well near bore near trajectory near architecture	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:48
-	0	well near bore near trajectory near architecture	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:48
-	0	well near bore near trajectory near design\$4 and architecture	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 18:49
-	81	703/10.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 19:07
-	0	703/4.ccls. and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 19:08
-	167	703/4.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 19:14
-	8	703/5.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 19:14

-	248	702/6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 19:37
-	0	sketching\$4 and (well near bore near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 19:38
-	27	sketching\$4 and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 19:38
-	18	345/441.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 09:33
-	27	345/442.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 09:45
-	1	345/469.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 09:48
-	229	(model\$4 and shape and curve) and (control near point and tangent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 10:18
-	66	((model\$4 and shape and curve) and (control near point and tangent)) and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 10:01
-	135	((model\$4 and shape and curve) and (control near point and tangent)) and constraint	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 10:02
-	79	(imaging\$4 and shape and curve) and (control near point and tangent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 10:21
-	364	(shape and curve) and (control near point and tangent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 10:24
-	157	((shape and curve) and (control near point and tangent)) and constraint	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 11:20
-	0	well near bore near design and control near point	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 11:27

-	2	object near design and control near point and tangent and constraint	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 11:31
-	0	(well near bore near trajectory near design\$4) and (control near point and tangent and constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 11:32
-	0	(well near bore near trajectory near design\$4) and (control near point and tangent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 11:33
-	0	(well near bore near trajectory near design\$4) and (control near point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 11:33
-	1	(well near bore near trajectory near design\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 11:34
-	0	(well near bore near trajectory near design\$4).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 11:35
-	4	6108011.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 12:01
-	0	6441823.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 12:01
-	16	5611036.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 12:07
-	2675433	(well near bore and trajectory and model\$4 or design\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 12:09
-	125	(well near bore and trajectory and design\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/24 12:10
-	147	702/9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 11:56
-	1	(well near bore near trajectory) and (minimum near radius near curvature\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 12:04

-	77977	well near bore near trajectory or path and optimize\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 12:14
-	76	(well near bore near trajectory or path and optimize\$4) and (control near point and tangent and constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 12:07
-	13	well near bore near path and optimize\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 12:25
-	0	(well near bore near path) and (control near point and tangent and constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 12:26
-	0	(well near bore near path) and (control near point and tangent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 12:27
-	739	703/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 12:27
-	48	703/2.ccls. and (well near bore near path or trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:00
-	31	703/6.ccls. and (well near path or trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:14
-	0	345/619.ccls. and (well near bore near path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:15
-	561	345/619.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:15
-	15	345/619.ccls. and (control near point and tangent and curve\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:44
-	0	345/652.ccls. and (control near point and tangent and curve\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:45
-	5	345/652.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:53

-	8	345/663.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:54
-	1303	geometric near model\$4 and B-spline or Bezier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:55
-	58	(geometric near model\$4 and B-spline or Bezier) and (control near point) and (tangent and constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:56
-	65551	33/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 12:36
-	26	33/\$.ccls. and (wellbore or borehole) and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 12:43
-	136	33/\$.ccls. and (wellbore or borehole) and path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 12:59
-	50980	345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 15:27
-	14	345/\$.ccls. and (wellbore or borehole) and (trajectory or path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 15:25
-	1	6191787.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 15:26
-	19	345/\$.ccls. and (wellbore or borehole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 15:56
-	9	345/\$.ccls. and (wellbore or borehole near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 15:59
-	66	33/\$.ccls. and (wellbore or borehole near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 16:13
-	2	6441823.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 16:30

-	25372	175/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 16:30
-	5954	175/\$.ccls. and (wellbore or borehole near trajectory or path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 16:31
-	1602	175/\$.ccls. and (wellbore or borehole near trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 16:32
-	304	175/\$.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 17:16
-	0	geometric near model and wellbore and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 17:17
-	8	geometric near model and wellbore	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 17:18
-	1380	geometric near model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 17:18
-	5	(geometric near model) and (borehole or wellbore) and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 17:21
-	43	(control near point) and (tangent near point) and constraint	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/28 17:24
-	159762	73/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 11:43
-	657	73/\$.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 11:44
-	52	(73/\$.ccls. and trajectory) and (wellbore or borehole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 12:01
-	5359	703/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 12:01

-	151	703/\$.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 12:03
-	7	(703/\$.ccls. and trajectory) and (wellbore or borehole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 12:06
-	51047	345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 12:07
-	601	345/\$.ccls. and trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 12:07
-	6	(345/\$.ccls. and trajectory) and (wellbore or borehole)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 12:07
-	6	(345/\$.ccls. and trajectory) and ((345/\$.ccls. and trajectory) and (wellbore or borehole))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 12:48
-	51047	345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 12:48
-	745	345/\$.ccls. and (point and curve and constraint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 12:49
-	129	(345/\$.ccls. and (point and curve and constraint)) and tangent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 14:16
-	0	(graphical near design and wellbore near trajectory).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 15:02
-	0	graphical near design and wellbore near trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 15:02
-	0	graphical adj design and wellbore adj trajectory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 15:03
-	405	graphical and (wellbore or borehole adj trajectory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 15:05

-	207	(graphical and (wellbore or borehole adj trajectory)) and point and curve	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:04
-	0	6389360.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:04
-	41	wellbore near plan\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:06
-	2	6389360.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 17:11
-	2	6389360.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/09 17:11
-	2	5901795.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 12:45
-	2	"20030120427"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/17 16:01